SINGLE-SUPPLY TAP

RO Tap/Faucet Premium Stainless Steel Silver

Silver

Model **RO F-01 Silver**



Scan for the product page, videos and spare parts

Please read this manual before installing and keep it for future reference.

Edition 1 · November 2026

Contents

1. Safety first
2. Know your product
3. What is in the box
4. Specifications
5. Installation
6. How to use
7. Care and cleaning
8. Troubleshooting
9. Warranty and support

1 Safety first

> **Important** Read these points before you start. Ignoring them can cause injury, leaks or damage that the warranty does not cover.

- ✓ Turn off the water supply before you start, and keep it off until all joints are tight.
- ✓ We recommend installation by a qualified plumber.
- ✓ Wear gloves. Cut steel edges and stone edges can be sharp.
- ✓ Lift heavy items with two people.
- ✓ Before drilling or cutting, check for hidden pipes and electric wires.
- ✓ Do not stand or sit on sinks or basins, and do not let children hang on faucets or accessories.
- ✓ Only connect an RO tap to purified water for drinking. Do not drink from other outlets unless your supply is safe.

2 Know your product

This manual explains how to install, use and look after your Fossa single-supply tap. Keep it with your invoice.

- ✓ Crafted from high-grade stainless steel with a stylish matte silver finish, offering excellent durability, rust resistance, and long-lasting performance for drinking water use.
- ✓ Features a sleek and steady water outlet designed specifically for RO-filtered water, ensuring a smooth and controlled flow every time.
- ✓ Equipped with a precise single-lever handle that allows easy opening and closing of water flow—ideal for filling bottles, glasses, and utensils.
- ✓ Designed for RO and drinking water systems, providing a clean, drip-free stream that ensures safe and hygienic water consumption.
- ✓ Built with high-quality ceramic components and secure internal fittings that prevent leakage and ensure long-term reliability.
- ✓ The smooth silver surface resists stains, corrosion, and fingerprints—making the faucet easy to clean and maintain with minimal effort.
- ✓ Ideal for home kitchens, water filter setups, utility counters, cafés, and office pantries—adding a touch of modern style and everyday convenience.

3 What is in the box

1. 1 × RO Faucet Body (Stainless Steel, silver Finish)
2. 1 × Installation Nut & Washer
3. 1 × Spout Nozzle

4 Specifications

Model / SKU	RO F-01 Silver
Product type	Single-supply tap
Material	Stainless steel
Colour / finish	Silver
Shipping weight	0.3 kg

5 Installation

> This tap takes one water supply. For RO taps, connect it only to the purified-water outlet of your RO system.

Tools you will need

- Adjustable spanner
- PTFE (Teflon) tape
- Torch
- Bucket and cloth



Water supply / angle valve

Single supply · not to scale

1. **Turn off the water** Close the supply valve, or the main supply.
2. **Unpack and check** Check the tap and fittings against "What is in the box".
3. **Prepare the thread** Wrap PTFE tape 6–8 turns clockwise on the threaded inlet.
4. **Mount the tap** Deck taps: pass the inlet through the hole and tighten the nut from below. Wall taps: screw the tap into the wall fitting by hand until it faces the right way.
5. **Connect the supply** Connect the supply hose or RO tube. Tighten by hand plus a quarter turn.
6. **Flush and test** Open the supply and run the tap for a minute. Check every joint for drips.

6 How to use

Using the tap

1. Turn the handle anticlockwise to open and clockwise to close.
2. Flexible spouts can be bent and turned to where you need the water.
3. Close gently. Over-tightening wears the washer.

7 Care and cleaning

- ✓ Clean the tap regularly with mild soap and water to maintain the silver finish and avoid stain marks.
- ✓ Avoid using harsh chemicals, acids, or abrasive scrubbers to protect the stainless steel coating.
- ✓ Gently wipe the faucet after every use to prevent water spots and maintain a polished appearance.
- ✓ Ensure the spout is cleaned periodically to maintain smooth and uninterrupted water flow.
- ✓ Check the installation nut occasionally to make sure the tap stays secure and leak-free.

8 Troubleshooting

Problem	Likely cause	What to do
Low flow	Blocked aerator or partly closed supply.	Clean the aerator and open the supply valve fully.
Drip when closed	Worn washer or debris.	Open fully for a minute to flush. Contact support if it continues.
Leak at the thread	Not enough PTFE tape.	Turn off, re-wrap the thread with PTFE tape, refit.

9 Warranty and support

Product	1 year against manufacturing defects
Return or replacement	Within 10 days of delivery for damage, defect or wrong product

How to make a claim

1. Keep your invoice or order number. It is your proof of purchase.
2. Take clear photos or a short video of the problem, and a photo of the product label or SKU.
3. Contact us by WhatsApp, phone or email with your order number and the photos.
4. Our team checks the claim and arranges a repair, part or replacement.

The warranty does not cover

- Damage from wrong installation, misuse, accidents, or dropping the product.
- Damage from harsh chemicals, abrasive cleaners or very hard water left on the surface.
- Normal wear, such as worn washers, and scratches from daily use.
- Products changed or repaired by someone other than Fossa.

Chat on WhatsApp

Fossa customer support

WhatsApp / phone +91 98113 21235
Landline 011-6926 8726
Email support@fossahome.com
Hours Monday to Saturday, 10 AM to 7 PM
Web www.fossahome.com

© 2026 Fossa Home. Product photos are for illustration. Diagrams are not to scale. Fossa may improve products without notice.